



US005555503A

United States Patent [19]
Kyrtos et al.

[11] **Patent Number:** **5,555,503**
[45] **Date of Patent:** **Sep. 10, 1996**

[54] **SYSTEM AND METHOD FOR PROVIDING ACCURATE VEHICLE POSITIONING USING SPATIAL BIAS TECHNIQUES**

[75] Inventors: Christos T. Kyrtos, Peoria; Adam J. Gudat, Edelstein; Dana A. Christensen, Peoria; Douglas W. Friedrich, Pekin; Darrell E. Stafford, Dunlap, all of Ill.

[73] Assignee: Caterpillar Inc., Peoria, Ill.

[21] Appl. No.: 155,374

[22] Filed: Nov. 23, 1993

Related U.S. Application Data

[63] Continuation of Ser. No. 628,560, Dec. 3, 1990, abandoned, and a continuation of Ser. No. 487,980, filed as PCT/US89/05580 Dec. 11, 1989.

[51] Int. Cl.⁶ G06F 165/00

[52] U.S. Cl. 364/449; 364/460; 342/357;
342/457

[58] Field of Search 364/449, 453,
364/424.02, 443, 460; 340/988, 990; 342/450,
451, 352, 356, 357, 358, 457

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,630,079	12/1971	Hughes	73/178
3,769,710	11/1973	Reister	33/320
4,114,155	9/1978	Raab	343/105 R
4,445,118	4/1984	Taylor et al.	343/357
4,485,383	11/1984	Maher	343/352
4,578,678	2/1986	Melocik et al.	342/357
4,599,620	3/1986	Evans	342/357
4,646,096	2/1987	Fotheringham	343/357
4,647,784	3/1987	Stephens	250/501
4,652,884	3/1987	Starker	342/357
4,667,203	5/1987	Counselman, III	342/357
4,709,195	11/1987	Hellekson et al.	318/254
4,713,767	12/1987	Sato et al.	364/453
4,743,913	5/1988	Takai	342/457
4,751,512	6/1988	Longaker	342/357
4,785,463	11/1988	Janc et al.	375/1

4,786,164	11/1988	Kawata	356/4
4,809,178	2/1989	Ninomiya et al.	364/443
4,814,711	3/1989	Olsen et al.	342/357
4,818,171	4/1989	Burholder	414/497
4,821,294	4/1989	Thomas	375/96
4,837,700	6/1989	Ando et al.	364/449
4,839,835	6/1989	Hagenbuch	364/567
4,849,731	7/1989	Melocik	340/435
4,866,450	9/1989	Chisholm	342/410
4,870,422	9/1989	Counselman, III	342/357
4,876,659	10/1989	Devereux et al.	364/717
4,894,655	1/1990	Joguet et al.	340/988
4,899,285	2/1990	Nakayama et al.	364/453
4,903,211	2/1990	Ando	364/443
4,903,212	2/1990	Yokouchi et al.	364/449
4,918,609	4/1990	Yamawaki	364/449
4,924,699	5/1990	Kuroda et al.	73/178 R
5,101,356	3/1992	Timothy et al.	364/449

FOREIGN PATENT DOCUMENTS

0181012	5/1986	European Pat. Off.
0309293A2	3/1989	European Pat. Off.
2554612	5/1985	France .
3310111	9/1984	Germany .
3538908A1	5/1987	Germany .
3912353A1	11/1989	Germany .
2126040	1/1987	United Kingdom .
WO87/07056	11/1987	WIPO .

OTHER PUBLICATIONS

J. Crowley, "Part 3: Knowledge Based Supervision of Robotics Systems," 1989 IEEE Conference on Robotics and Automation, 1989 pp. 37-42.

(List continued on next page.)


Primary Examiner—Collin W. Park

Attorney, Agent, or Firm—Sterne, Kessler, Goldstein & Fox

[57] **ABSTRACT**

A vehicle position determination system and method provide accurate vehicle positioning using a global positioning system. Spatial bias techniques are used to improve positioning accuracy while the vehicle is in the midst of a relatively linear path and is not approaching a drastically nonlinear path. The use of spatial bias techniques is suspended while the vehicle is approaching or in a drastically nonlinear path.

17 Claims, 93 Drawing Sheets



OTHER PUBLICATIONS

- Navstar GPS Space Segment/Navigation User Interface*, Rockwell International Corporation, Nov. 30, 1987.
- G. Geier et al., "Design of an Integrated Navigation System for Robotic Vehicle Application," *Journal of the Institute of Navigation*, Winter 1987-1988 pp. 325-336.
- C. McGillem et al., "Infra-red Location System for Navigation of Autonomous Vehicles," *IEEE*, 1988 pp. 1236-1238.
- IEEE Plans '86 Position Location and Navigation Symposium, Nov. 1986, S. Bose: "GPS/PLRS aided inertial land navigation system performance", pp. 496-504.
- IEEE Proceedings, vol. 77, No. 11, Nov. 11, 1989. L. Schuchman et al.: "Applicability of an augmented GPS for navigation in the National Airspace system", pp. 1709-1727, 1713, 1717, FIGS. 1-8.
- Proceedings of 1988 IEEE International Conference on Robotics&Automation, vol. 2, Apr. 24-29, 1988, Philadelphia, IEEE Computer Soc. Press (Washington DC), L. E. Banta: "A self tuning navigation algorithm", pp. 1313-1314.
- IEEE Journal of Robot&Automation, vol. 4, No. 3, Jun. 1988, IEEE (New York). C. Isik et al. "Pilot Level of a Hierarchical Controller for an Unmanned Mobile Robot", pp. 241-255.
- Proceedings 1987 IEEE International Conference on Robotic&Automation, Mar. 31-Apr. 3, 1987 (Raleigh, NC), sponsored by IEEE Council on Robotic&Automation, vol. 3, D. McMenthon, "A zero-bank algorithm for Inverse Perspective of a Road fr Single Image", pp. 1444-1449.
- IEEE Transactions on Pattern Analysis, vol. 10, No. 5 Sep. 1988, IEEE (New York), D. Kuan et al, "Autonomous robotic veh road following"pp. 648-658.
- Proceedings 1987 IEEE Conference Mar. 31-Apr. 3, 1987, vol. 2, L. Conway et al.: "Tele-autonomous systems: Methods&Architectures for Intermingling autonomous & Telerobotic Technology" pp. 1121-1130.
- Proceeding PR'88, The Computer Society Conference on Computer Vision&Pattern Recognition, Jun. 5-Sep. 1988 (Ann Arbor) S. Dickison et al., "An expert vision syste for Autonomous Land Vehicle Road Following", pp. 826-831.
- IEEE Journal of Robotics & Automation, vol. 4, No. 4, Aug. 1988, IEEE (New York) J. LeM 'Domain-dependent reasoning for visual navigation of roadways", pp. 419-427 (Nissan) Mar. 24, 1988.
- Wescon/87 Conference Record, vol. 31, 1987, (Los Angeles, US) M. T. Allison et al "The next generation navigation system", pp. 941-947.
- IEEE Communications Magazine, vol. 26, No. 7, Jul. 1988 (New York) P. Enge et al. "Differential operation of global positioning system" pp. 48-59.
- Patent Abstract of Japan, vol. 13, No. 306 (p. 897) Jul. 13, 1989 & JPA 1079679 (Toyota) Mar. 24, 1989.
- Patent Abstract of Japan, vol. 12, No. 290 (p. 742) Aug. 9, 1988 & JPA 63066479 (Nissan) Mar. 24, 1988.
- Randolph Hartman, "Integrated Laser Inertial/GPS Navigation (GPIRS)," Publication of Honeywell Inc., Feb., 1990, from a presentation at the Royal Institute of Navigation NAV '89 Satellite Navigation Conference, Oct., 1989.
- GPS-90 Tutorials, The Institute of Navigation, Sep. 17-18, 1990, pp. 1-28.
- P. Sheth et al., "A Generalized Symbolic Notation for Mechanism," *Transactions of the ASME*, Feb. 1971 pp. 102-112.
- A. Brockstein, "GPS-Kalman-Augmented Inertial Navigation System Performance," *Naecon '76 Record*, 1976 pp. 864-871.
- E. Martin, "Aiding GPS Navigation Functions," *Naecon '76 Record*, 1976 pp. 849-856.
- Robotech Laboratory Company, no date.
- T. Jacob, *Integrated Navigation System for Approach Guidance for Regional Air-Traffic Using GPS*, no date, pp. 176-187.
- W. Sorenson, "Least-Squares estimation: From Gauss to Kalman," *IEEE Spectrum*, Jul. 1970 pp. 63-68.
- C. Johnson, "In-Flight Transfer Alignment/Calibration of a Strapdown INS that Employs Caroused Instruments and IMV Indexing," no date, pp. 1572-1573.
- B. Culshaw et al., "Fibre Optic Gyroscopes In Inertial Navigation," no date.
- K. Brodie et al., *Performance Analysis of Integrated Navigation Systems*, computer applications software technology, no date, pp. 605-690.
- R. Brown, *Random Signal Analysis & Kalman Filtering*, Chapter 5, pp. 181-209, (no date).
- Jorgensen, "18-Satellite Constellations," pp. 9-12, 1980.
- C. Mueller et al., "Laser Gyro Land Navigation System Performance Predictions and Field Results," *IEEE*, 1984 pp. 81-89.
- W. Euler, et al., "A Perspective on Civil Use of GPS," The Institute of Navigation, 36th Annual Meeting, 1980 pp. 1-7.
- H. Sakai, "Theoretical and Experimental Studies on the Dynamic Properties of Tyres Part I: Review of Theories of Rubber Friction," *International Journal of Vehicle Design*, 1981 pp. 78-110.
- H. Sakai, "Theoretical and Experimental Studies on the Dynamic Properties of Tyres, Part II: Experimental Investigation of Rubber Friction and Deformation of a Tyre," *International Journal of Vehicle Design*, 1981 pp. 182-226.
- S. Divakaruni et al., "Fast Reaction and High Reliability of Strapdown Navigation Systems Using Ring Laser Gyros," *IEEE* 1984 pp. 315-322.
- W. Auch, "Fibre Optic Gyroscope," 1984.
- J. Ashjaee et al., "Precise Positioning Using a 4-Channel C/A Code GPS Receiver," *IEEE* 1984 pp. 236-244.
- B. Parkinson et al., "Navstar: Global Positioning System—Ten Years Later," *Proceedings of the IEEE*, 1983 pp. 1178-1186.
- M. Kuritsky et al., "Inertial Navigation," *Proceedings of the IEEE*, Oct. 1983 pp. 1156-1176.
- R. Brown, *Kalman Filtering Study Guide—A Guided Tour*, 1984 pp. 1-19.
- M. Kao et al., "Multiconfiguration Kalman Filter Design for High-Performance GPS Navigation," *IEEE Transactions on Automatic Control*, Mar. 1983 pp. 304-314.
- H. Schwartz, "Sensitivity Analysis of an Integrated Navstar GPS/INS Navigation System to Component Failure," *Journal of the Institute of Navigation*, 1983 pp. 325-330.
- "New Airbuses to Use Laser Inertial Reference Systems for Navigation," Litton Systems, *Aircraft Engineering*, Jun. 1983 pp. 10-11.
- R. Greenspan et al., "Accuracy of Relative Positioning by Interferometry with Reconstructed Carrier GPS: Experimental Results," Third International Symposium on Satellite Doppler Positioning, Feb. 1982 pp. 1-19.
- T. Upadhyay et al., "Benefits of Integrating GPS and Inertial Navigation," Jun. 1982 (pp. 1-13).

- F. Daum et al., "Decoupled Kalman Filters for Phased Array Radar Tracking," *IEEE Transactions on Automatic Control*, Mar. 1983 pp. 269-283.
- H. Sakai, "Theoretical and Experimental Studies on the Dynamic Properties of Tyres, Part III: Calculation of the Six Components of Force and Moment of a Tyre," *International Journal of Vehicle Design*, 1981 pp. 335-372.
- J. Sennott, "Real-Time GPS and Loran-C Dynamical Performance for Critical Marine Applications," *IEEE*, 1981 pp. 1006-1009.
- J. Sennott et al., "A Queueing Model for Analysis of a Bursty Multiple-Access Communication Channel," *IEEE*, 1981 pp. 317-321.
- J. Nielson et al., "GPS Aided Inertial Navigation," *IEEE AES Magazine*, Mar. 1986 pp. 20-26.
- H. Nii, "Blackboard Systems: The Blackboard Model Problem-solving and the Evolution of Blackboard Architectures," *The AI Magazine*, Summer 1986 pp. 38-53.
- H. Nii, "Blackboard Application Systems, Blackboard Systems from a Knowledge Engineering Perspective," *The AI Magazine*, Aug. 1986 pp. 82-89.
- R. Cox et al., "Design for Maintainability: Litton's New Family of RLG Inertial Navigation Systems," *IEEE*, 1986 pp. 1115-1119.
- S. Divakaruni et al., "Ring Laser Gyro Inertial and GPS Integrated Navigation System for Commercial Aviation," *IEEE*, 1986 pp. 73-80.
- M. Grewal et al., "Application of Kalman Filtering to the Calibration and Alignment of Inertial Navigation Systems," *IEEE*, 1986 pp. 69-72.
- J. Raol et al., "On the Orbit Determination Problem," *IEEE Transactions on Aerospace and Electronic Systems*, May 1985 pp. 274-290.
- E. Udd, "Fiberoptic vs. Ring Laser Gyros: An Assessment of the Technology," *Laser Focus/Electro-Optics*, Dec. 1985 pp. 64-74.
- R. Majure et al., "Comparison of Laser Gyro IMU Configurations for Reentry Systems," *IEEE* 1986 pp. 96-100.
- Vehicle Dynamics Terminology*, SAE J670e, 1984.
- E. Lerner, "Gyros in Business Aircraft," *Aerospace America*, Oct. 1984 pp. 66-69.
- J. Vaurus, "A Simulation of an Imbedded Software System for Global Positioning System Navigation," *Proceedings of the 1985 Winter Simulation Conference*, 1985 pp. 586-590.
- R. Dork, "Satellite Navigation Systems for Land Vehicles," *IEEE AES Magazine*, 1987 pp. 2-5.
- J. Sennott et al., *Study of Differential Processing and Kalman Filtering of Bay Saint Louis Test Data*, 1987 pp. 1-5.
- J. Collins, "GPS Equipment Survey, GPS—What does it all mean?," *P.O.B.*, Jun.-Jul 1987 pp. 12-22.

